

## Claims

1. Composition comprising colloidal particles on the surface of which biomolecules are adsorbed, where in the composition additionally contains a detergent.
2. Composition as claimed in claim 1, where in the detergent is an ethoxylate detergent.
3. Composition as claimed in claim 1 or 2, where in the detergent is a polyethoxysorbitan laurate and/or polyethoxysorbitan oleate or/and a lauryl-polyethylene glycol ether.
4. Composition as claimed in one of the claims 1 to 3, where in the composition contains the detergent in an amount at which the critical micelle concentration is not exceeded.
5. Composition as claimed in one of the previous claims, where in it contains the detergent at a concentration of 0.0001 to 1 mM.

6. Composition as claimed in one of the previous claims,  
w h e r e i n  
the particles are noble metal particles.
7. Composition as claimed in claim 6,  
w h e r e i n  
the noble metal is selected from the group  
comprising Au, Ag, Cu, Pt, Pd or mixtures thereof.
8. Composition as claimed in claim 7,  
w h e r e i n  
the noble metal is Au.
9. Composition as claimed in one of the previous claims,  
w h e r e i n  
the mean diameter of the colloidal particles is in  
the range of 1 nm to 1000 nm.
10. Composition as claimed in one of the previous claims,  
w h e r e i n  
the biomolecules are selected from the group  
comprising proteins, glycoproteins, peptides,  
nucleic acids, peptidic nucleic acids, saccharides,  
antigens and haptens.
11. Composition as claimed in claim 10,  
w h e r e i n  
the biomolecules are selected from the group  
comprising antibodies, antibody fragments, lectins,

002080 5622360

enzymes, streptavidin, avidin, biotin, protein A, recombinant polypeptides, peptides, haptens and polyhaptens.

12. Process for the production of a composition as claimed in one of the claims 1 to 11, wherein a detergent is added to colloidal particles before loading with biomolecules or/and to a solution containing biomolecules before or/and during loading of the colloidal particles with this solution.
13. Use of a composition as claimed in one of the claims 1 to 11 as a detection reagent.
14. Use as claimed in claim 13 as a detection reagent in an immunoassay.
15. Use as claimed in claim 13 or 14 in a rapid test.
16. Use as claimed in claim 13 for staining tissue sections.
17. Method for the stabilization of conjugates composed of colloidal particles and biomolecules, wherein a detergent is added to colloidal particles before loading or/and to a solution containing biomolecules before or/and during loading of the colloidal particles with this solution.

- ~~Add~~